

# 东莞市芯技通电子科技有限公司 Dongguan Xin Ji Tong Electronic Technology Co., Ltd.



### **OEM ODM orders is welcome**

Sample day: 7-10 days. Production day: 20-25 days.

Overseas Wareseas, 2-3 days delivery

Contact: Coco Yu

Address: R27 Xiangrong Songmushan Dalang Dongguan, Guangdong, China

Phone: +86 13823794700 Tel: +86 769-89399923



### Company Profile 公司简介

东莞市芯技通电子科技有限公司位于广东省东莞市。公司占地面积50000平方米。 我厂专业生产无绳电动工具。

我们拥有严格的QC和QA体系,包括训练有素的QC团队和专业的QA工程师。公司下设模具制造部、产品设计部、质检部、注塑车间。 凭借强大的生产能力和严格的控制,我们的产品已通过UL/GS/CE/EMC认证,并被欧美市场广泛接受。 我公司与众多客户建立了OEM业务。

我们保证我们是一家以优质产品、专业服务、有竞争力的价格和及时交货的企业。

Dongguan Xin Ji Tong Electronic Technology Co., Ltd. is located in Dongguan, Guangdong Province.

The company covers an area of 50,000 square meters. Our factory specializes in the production of cordless power tools. We have a strict QC and QA system, including a well-trained QC team and professional QA engineers. The company consists of a mold manufacturing department, a product design department, a quality inspection department, and an injection molding workshop.

With strong production capacity and strict control, our products have passed UL /GS/CE/EMC certification and are widely accepted by European and American markets. Our company has established OEM business with many customers. We guarantee that we are a business with quality products, professional services, competitive prices, and timely delivery.











Stepless speed change 无段变速



Electronic constant speed 电子恒速



Electronictwo-speed 电子式双速



Keyless chuck 无匙夹头



mechanical braking device 机械式刹车装置



Forward and reverse 正逆转



Electronic three-speed 电子式三速



Mechanical two-speed 机械式双速



Slow Start 缓速启动



Torque adjustment file 20 转矩调整档20



Electronic four-speed 电子式四速



Built-in work light 内置工作灯

### Interchangeable head tool set 可换头工具套装





### Impact drill head (冲击钻头) Specification

Chuck size: 10mm卡盘尺寸: 10mmMaximum torque: 35N.m最大扭矩: 35N.mSpeed: 0-400/1450 r/min转速: 0-400/1450转/分Shock frequency: 0-21冲击频率: 0-21

### Oscillating multi-tool head (摆动式多刀头) Specification

Swing frequency: 摆频:

### Impact driver head (冲击驱动头) Specification

 Collet Size: 1/4"
 夹头尺寸: 1/4"

 Maximum torque: 180N.m
 最大扭矩: 180N.m

 Speed: 0-3300r/min
 转速: 0-3300r/min

 Shock frequency: 0-3600 times 冲击频率: 0-3600次



### 4" Chainsaw head (4" 电锯头) Specification

Speed: 0-4000 r/min 转速: 0-4000转/分 Chain quick order: 7M/s 链式快速下单: 7M/s Guide plate size: 4" 导板尺寸: 4"



### Reciprocating saw head (往复锯头) Specification

Reciprocating frequency: 往复频率: 0-3300 times/min 0-3300次/分钟 Cutting stroke: 15 mm 切割行程: 15毫米



### Sander head (打磨头) Specification

 Swing frequency:
 摆动频率:

 0-10000 times/min
 0-10000次/分钟

 Bottom plate size:
 底板尺寸:

 94\*135 mm
 94\*135 mm

















### Rechargeable screwdriver





#### **MODEL XJT-1** Rechargeable screwdriver 充电式起子电钻 Battery(电池) 18V MAX LI-ION Chuck Size(卡盘尺寸) 13mm Rated Torque(额定扭矩) 60Nm No load speed(空载速度) 0-500/1600 rpm

Dimension(体积) 169x79x237mm Machine weight(机器重量) 1.7 kg Battery 4.0Ah\*2, charger 电池4.0Ah\*2个,充电器 Battery 4.0Ah\*1, charger 电池4.0Ah\*1个,充电器

Tool only



(battery and charger sold separately)

Battery 2.0Ah\*2, charger

Battery 2.0Ah\*1, charger







电池2.0Ah\*2个, 充电器

电池2.0Ah\*1个, 充电器

裸机 (电池、充电器另售)



### Rechargeable angle grinder



Quickly and easily adjust the angle of the wheel cover, install and remove the wheel cover 可快速方便的调整砂轮罩的角度,安装和拆卸砂轮罩



### MODEL XJT-4

Rechargeable angle grinder	充电式角向磨光机		
Battery(电池)	18V MAX LI-ION		
Shaft(轴)	10/14 mm		
Disk Dia(磁盘直径)	100/115 mm		
No load speed(空载速度)	0-7500 rpm		
Dimension(尺寸)	36x24x10		
Machine weight(机器重量)	2.1kg		

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger Tool only (battery and charger sold separately)

电池4.0Ah\*2个,充电器 电池4.0Ah\*1个,充电器 裸机 (电池、充电器另售)







### Rechargeable lithium chainsaw





### **MODEL XJT-1**

#### Rechargeable lithium chainsaw 充电式锂链锯 Battery(电池) 18V MAX LI-ION No load speed(空载速度) 0-3800 rpm Dimension(体积) 32x25x13 Machine weight(机器重量) 2.5kg

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger Battery 2.0Ah\*2, charger Battery 2.0Ah\*1, charger Tool only (battery and charger sold separately)

电池4.0Ah\*2个,充电器 电池4.0Ah\*1个,充电器 电池2.0Ah\*2个, 充电器 电池2.0Ah\*1个, 充电器 裸机 (电池、充电器另售)







### Rechargeable impact wrench







### MODEL XJT-2

### Rechargeable impact wrench 充电式冲击板手

•	
Battery(电池)	18V MAX LI-ION
Shock frequency(冲击频率)	0-2700ipm
Max torque(最大扭矩)	480N.m
No load speed(空载速度)	2000 r/min
Size(尺寸)	170x81x258mm
Weight(重量)	2.7kg

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger Battery 2.0Ah\*2, charger Battery 2.0Ah\*1, charger Tool only (battery and charger sold separately)

电池4.0Ah\*2个,充电器 电池4.0Ah\*1个,充电器 电池2.0Ah\*2个, 充电器 电池2.0Ah\*1个, 充电器 裸机 (电池、充电器另售)











Rechargeable screwdriver 充电式起子电钻

## **MODEL XJT-1**















#### **Features**

- Electronic Soft Start
- 13mm keyless chuck
- Spindle lock
- 21+2 torque setting

### 特征

- 电子软启动
- 13mm 无键夹头
- 主轴锁
- 21+2 扭矩设定

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Chuck Size	13mm	卡盘尺寸	13mm
Rated Torque	60Nm	额定扭矩	60Nm
No load speed	0-500/1600 rpm	空载速度	0-500/1600 rpm
Dimension	169x79x237mm	体积	169x79x237mm
Machine weight	1.7 kg	机器重量	1.7 kg

Battery 4.0Ah*2, charger	电池4.0Ah*2个,充电器
Battery 4.0Ah*1, charger	电池4.0Ah*1个,充电器
Battery 2.0Ah*2, charger	电池2.0Ah*2个,充电器
Battery 2.0Ah*1, charger	电池2.0Ah*1个,充电器
Tool only	裸机(电池、充电器另售)

Rechargeable impact wrench MODEL XJT-2 充电式冲击板手















### **Features**

- Standard bolts M10-M24(3/8"-1")

(battery and charger sold separately)

- High strength bolts M12-M16(1/2"-5/8")
- Square drive screw 12.7mm (1/2")

### 特征

- 标准螺栓M10-M24(3/8"-1")
- 高强度螺栓M12-M16(1/2"-5/8")
- 方形传动螺杆12.7mm(1/2")

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Shock frequency	0-2700ipm	冲击频率	0-2700ipm
Max torque	480N.m	最大扭矩	480N.m
No load speed	2000 r/min	空载速度	2000 r/min
Size	170x81x258mm	体积	170x81x258mm
Weight	2.7kg	机器重量	2.7kg

Battery 4.0Ah*2, charger	电池4.0Ah*2个,充电器
Battery 4.0Ah*1, charger	电池4.0Ah*1个,充电器
Battery 2.0Ah*2, charger	电池2.0Ah*2个,充电器
Battery 2.0Ah*1, charger	电池2.0Ah*1个, 充电器
Tool only	裸机 (电池、充电器另售)
(battery and charger sold separately)	

Rechargeable impact wrench MODEL XJT-2-B 充电式冲击板手

1/2" 480N.m Brushless wrench













### **Features**

- Electronic Soft Start
- 3 speed electronic selector
- lock on trigger
- build-in fuel level led

### 特征

- 电子软启动
- 3速电子选择器
- 锁定触发器
- 内置电量指示灯

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Shaft	10/14 mm	轴	10/14 mm
Disk Dia.	100/115 mm	磁盘直径	100/115 mm
No load speed	0-7500 rpm	空载速度	0-7500 rpm
Dimension	36x24x10	体积	36x24x10
Machine weight	2.1kg	机器重量	2.1kg

Battery 4.0Ah\*2, charger 电池4.0Ah\*2个,充电器 Battery 4.0Ah\*1, charger 电池4.0Ah\*1个,充电器 Battery 2.0Ah\*2, charger 电池2.0Ah\*2个, 充电器 Battery 2.0Ah\*1, charger 电池2.0Ah\*1个, 充电器 Tool only 裸机(电池、充电器另售) (battery and charger sold separately)

Rechargeable angle grinder 充电式角磨机

## **MODEL XJT-3**













#### **Features**

- Electronic Soft Start
- 3 speed electronic selector
- lock on trigger
- build-in fuel level led

### 特征

- 电子软启动
- 3速电子选择器
- 锁定触发器
- 内置电量指示灯

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Shaft	10/14 mm	轴	10/14 mm
Disk Dia.	100/115 mm	磁盘直径	100mm
No load speed	0-7500 rpm	空载速度	0-7500 rpm
Dimension	36x24x10	体积	36x24x10
Machine weight	2.1kg	机器重量	2.1kg

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger

Tool only

(battery and charger sold separately)

电池4.0Ah\*2个,充电器 电池4.0Ah\*1个,充电器 裸机(电池、充电器另售)

Rechargeable cutting machine MODEL XJT-4 充电式切割机 10/14mm shaft, brushless motor











### **Features**

- Electronic Soft Start
- 3 speed electronic selector
- lock on trigger
- build-in fuel level led

### 特征

- 电子软启动
- 3速电子选择器
- 锁定触发器
- 内置电量指示灯

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Shaft	10/14 mm	轴	10/14 mm
Disk Dia.	100/115 mm	磁盘直径	125 mm
No load speed	0-7500 rpm	空载速度	0-7500 rpm
Dimension	36x24x10	体积	36x24x10
Machine weight	2.1kg	机器重量	2.1kg

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger Tool only

(battery and charger sold separately)

电池4.0Ah\*2个,充电器 电池4.0Ah\*1个,充电器 裸机(电池、充电器另售)

Rechargeable chain saw 充电式锂链锯

**MODEL XJT-5** 













### **Features**

- Electronic Soft Start
- compact size for one hand operation
- 4" cutting length

### 特征

- 电子软启动
- 单手操作的紧凑尺寸
- 4" 切割长度

### Specifications

Specifications		特征		
	Battery	18V MAX LI-ION	电池	18V MAX LI-ION
	No-load Speed	2.5m/min	空载速度	2.5m/min
	Cutting length	100mm	切割长度	100mm
	Dimension	320x250x90	体积	320x250x9
	Machine weight	1.2kg	机器重量	1.2kg

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger Battery 2.0Ah\*2, charger Battery 2.0Ah\*1, charger

Tool only (battery and charger sold separately) 电池4.0Ah\*2个,充电器 电池4.0Ah\*1个,充电器 电池2.0Ah\*2个, 充电器 电池2.0Ah\*1个, 充电器 裸机(电池、充电器另售)

Rechargeable chain saw 充电式锂链锯

## **MODEL XJT-6**









**Features** 

One-handed design 700W brushless motor 8" (205mm) guide rod Hand guard design

Specifications

No load speed

Machine weight

Dimension

Battery

护手挡板设计

特征

单手操作设计

700W无刷电机

8" (205mm) 导杆

特征 18V MAX LI-ION 电池 18V MAX LI-ION 0-3800 rpm 0-3800 rpm 空载速度 32x25x13 32x25x13 体积 机器重量 2.5kg 2.5kg

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger Battery 2.0Ah\*2, charger Battery 2.0Ah\*1, charger Tool only

电池4.0Ah\*1个,充电器 电池2.0Ah\*2个, 充电器 电池2.0Ah\*1个, 充电器 裸机(电池、充电器另售)

电池4.0Ah\*2个,充电器

(battery and charger sold separately)

Rechargeable circular saw 充电式圆锯

### **MODEL XJT-7**







**Features** 

- Electronic Soft Start - Electric brake - Safety trigger

特征

- 电子软启动 - 电动刹车 - 安全触发器

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
No-load Speed	5000 Rpm	空载速度	5000 Rpm
Blade Dia.	7"	刀片直径	7"
<b>Bevel Capacit</b>	0-45°	斜面电容	0-45°
Capacity	55mm max	容量	55mm max
Dimension	38x36x24	体积	38x36x24
Machine weigh	2.2kg	机器称重	2.2kg

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger Tool only

(battery and charger sold separately)

电池4.0Ah\*2个,充电器 电池4.0Ah\*1个,充电器 裸机(电池、充电器另售)

Rechargeable hammer 充电式电锤

MODEL XJT-8









**Features** 

- Electronic Soft Start

- 3.2kg weight

- SDS plus quick connector

- Four model gearbox ing

特征

- 电子软启动

- 3.2公斤重量

- SDS plus 快速接头

- 四款变速箱

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Drill type	SDS plus	钻头类型	SDS plus
Cylinder	26 mm	圆柱	26 mm
No load speed	0-900 rpm	空载速度	0-900 rpm
Impact Rate	0-4600 lpm	影响率	0-4600 lpm
Dimension	45x32x12	体积	45x32x12
Machine weight	3.2kg	机器重量	3.2kg

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger Tool only

(battery and charger sold separately)

电池4.0Ah\*2个,充电器 电池4.0Ah\*1个,充电器 裸机(电池、充电器另售) Rechargeable impact wrench 充电式冲击扳手

**MODEL XJT-12** 













### **Features**

- Standard bolt M12 ((1/2 "- 1-1/4")
- high strength bolt M10 m2-m24 (3/8 "1")
- square drive screw 19 mm (3/4")

### 特征

- 标准螺栓M12-M30 (1/2"-1-1/4")
- 高强度螺栓M10-M24 (3/8"-1")
- 方形传动螺杆19mm(3/4")

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Impact number (ipm	0-1,800	冲击数(ipm)	0-1,800
Number of revolution	ns (rpm) 0-900	回转数(rpm)	0-900
Maximum torque	1,050N.m	最大扭矩	1,050N.m
disassembly torque	1,600 N.m	最大拆卸扭矩	1,600 N.m

Battery 4.0Ah\*2, charger 电池4.0Ah\*2个,充电器
Battery 4.0Ah\*1, charger 电池4.0Ah\*1个,充电器
Battery 2.0Ah\*2, charger 电池2.0Ah\*2个,充电器
Battery 2.0Ah\*1, charger 电池2.0Ah\*1个,充电器
Tool only 裸机(电池、充电器另售)

(battery and charger sold separately)

Rechargeable work light 充电式工作照明灯

**MODEL XJT-13** 





### **Features**

- Three-speed mode: the first-level normal light is on,
   The second gear is bright, the third gear is flashing,
- Fourth gear: red light, adjustable light angle

### 特征

- 三档模式: 一档常规灯亮, 二档强亮, 三档爆闪
- 四档: 红光, 可调节发光角度

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Rated input power	180W	额定输入功率	180W
Light source form	Bulb+LED	光源形式	Bulb+LED

Battery 4.0Ah\*2, charger 电池4.0Ah\*2个,充电器 Battery 4.0Ah\*1, charger 电池4.0Ah\*1个,充电器 Battery 2.0Ah\*2, charger 电池2.0Ah\*2个,充电器 Battery 2.0Ah\*1, charger 电池2.0Ah\*1个,充电器 Tool only 裸机(电池、充电器另售)

(battery and charger sold separately)

Rechargeable hot melt glue gun 充电式热熔胶枪

**MODEL XJT-14** 









### Features

Glue speed: 8.5G/minGlue stick diameter: 11MM4 minutes/150 degrees

### 特征

- 出胶速度: 8.5G/min - 胶棒直径: 11MM - 4 分钟/150 度

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Dattery	TOV WAX EI-TOIN	40/6	10 V WAX EI IOIV
Muzzle diameter	3MM	枪口直径	3MM
Power	40W	功率	40W

Battery 4.0Ah\*2, charger 电池4.0Ah\*2个,充电器 Battery 4.0Ah\*1, charger 电池4.0Ah\*1个,充电器 Battery 2.0Ah\*2, charger 电池2.0Ah\*2个, 充电器 Battery 2.0Ah\*1, charger 电池2.0Ah\*1个, 充电器 Tool only 课机(电池、充电器另售)

Rechargeable rivet gun 充电式铆钉枪

### **MODEL XJT-15**









#### **Features**

- LED work lights with pre-glow and afterglow functions Compatible with rivets of all sizes
- Various specifications of nozzles and push nozzles can fasten rivets of various sizes.

### 特征

- LED工作灯具有预发光和余晖功能
- 兼容各种尺寸的铆钉 各种规格的枪嘴和推料嘴可以紧 固各种尺寸的铆钉。

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Maximum output p	ower 360W	最大输出功率	0-1,800
maximum pull	20 kN	最大拉力	0-900
stroke length	30 mm (1-3/16")	行程长度	1,050N.m
center height	26 mm (1")	中心高度	1,600 N.m

Battery 4.0Ah\*2, charger 电池4.0Ah\*2个,充电器 Battery 4.0Ah\*1, charger 电池4.0Ah\*1个,充电器 Battery 2.0Ah\*2, charger 电池2.0Ah\*2个, 充电器 Battery 2.0Ah\*1, charger 电池2.0Ah\*1个, 充电器 Tool only 裸机(电池、充电器另售) (battery and charger sold separately)

Rechargeable hedge trimmer MODEL XJT-16









### **Features**

- Double sided blade for better handling
- Powerful brushless motor
- With safety double switch, it is safer to use

### 特征

- 双面刀片更好操作
- 无刷电机动力强劲
- 拥有保险双开关,使用更安全

18V MAX LI-ION	电池	18V MAX LI-ION
ver 320W	最大输出功率	320W
600 mm	刀片长度	600 mm
4,000	冲程速度(spm)	4,000
30 mm	齿距	30 mm
	600 mm 4,000	ver 320W 最大输出功率 600 mm 刀片长度 4,000 冲程速度(spm)

Battery 4.0Ah\*2, charger 电池4.0Ah\*2个,充电器 Battery 4.0Ah\*1, charger 电池4.0Ah\*1个,充电器 Battery 2.0Ah\*2, charger 电池2.0Ah\*2个, 充电器 Battery 2.0Ah\*1, charger 电池2.0Ah\*1个, 充电器 Tool only 裸机(电池、充电器另售) (battery and charger sold separately)

Rechargeable fan

**MODEL XJT-17** 



充电式风扇







### **Features**

- 3-Stage Automatic Timer with 1,2,and 4 hour power-off selection
- Three speed settings (high/medium/low)
- Wired link available

### 特征

- 1、2 和 4 小时关机选择的 3 级 自动定时器
- 三种速度设置(高/中/低)
- 可使用有线链接

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
fan diameter	180 (7-1/8")	风扇直径	180 (7-1/8")
maximum		最大风速	180/150/120m/min
wind speed	180/150/120m/min	空气流量	4.6/3.8/3.0 m³/min
air flow	4.6/3.8/3.0 m3/min		

Battery 4.0Ah\*2, charger 电池4.0Ah\*2个,充电器 Battery 4.0Ah\*1, charger 电池4.0Ah\*1个,充电器 Battery 2.0Ah\*2, charger 电池2.0Ah\*2个, 充电器 Battery 2.0Ah\*1, charger 电池2.0Ah\*1个, 充电器 Tool only 裸机(电池、充电器另售) (battery and charger sold separately)

Rechargeable cutting machine 手持切割机

**MODEL XJT-18** 







#### **Features**

- Handheld Electric Grinding Polishing Cutting
- Small design is easy to carry and easy to operate
- Powerful brushless motor

### 特征

- 可手持电磨打磨抛光切割机
- 小巧设计易于携带,操作方便
- 无刷电机动力强劲

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Maximum output p	ower 160W	最大输出功率	160W
Rotating speed	19500rpm	转速	19500rpm

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger Battery 2.0Ah\*2, charger Battery 2.0Ah\*1, charger Tool only

(battery and charger sold separately)

电池4.0Ah\*2个,充电器 电池4.0Ah\*1个,充电器 电池2.0Ah\*2个, 充电器 电池2.0Ah\*1个, 充电器

裸机(电池、充电器另售)

Rechargeable vacuum cleaner 充电式吸尘器

**MODEL XJT-19** 









### **Features**

- There are two kinds of nozzles (wide mouth, flat mouth)
- Powerful brushless motor
- Two-speed adjustment, wet and dry

### 特征

- 拥有两种吸嘴(宽嘴,扁嘴)

- 无刷电机动力强劲
- 双速调节, 干湿两用

Battery 18	BV MAX LI-ION	电池 18V	MAX LI-ION
Dust Suction	1.3 m³/min	最大空气流量(吸尘)	1.3 m³/min
Dlowing	0.7 m³/min	(吹风)	0.7 m³/min
maximum wind speed	5.6 m/s	最大风速(吹风)	5.6 m/s
Maximum sealing sucti	on 4.6 kPa	最大密封吸力	4.6 kPa

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger Battery 2.0Ah\*2, charger Battery 2.0Ah\*1, charger Tool only

电池4.0Ah\*2个,充电器 电池4.0Ah\*1个,充电器 电池2.0Ah\*2个, 充电器 电池2.0Ah\*1个, 充电器 裸机(电池、充电器另售)

(battery and charger sold separately)

Rechargeable electric planer 充电式电刨机

**MODEL XJT-20** 







### **Features**

- Front base with chamfered slot
- Knob with detent limit
- Bottom bracket

### 特征

- 前底座带有倒角槽
- 带有止动限制的旋钮
- 底板支架

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Planing width	82 mm	刨削宽度	82 mm
Planing depth	1.5 mm	刨深	1.5 mm
Dimension	31x18x19	方面	31x18x19
Machine weight	2.9kg	机器重量	2.9kg

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger Tool only (battery and charger sold separately)

电池4.0Ah\*2个,充电器 电池4.0Ah\*1个,充电器 裸机(电池、充电器另售)

Rechargeable drill 充电式电钻

**MODEL XJT-21** 













#### **Features**

- Electronic Soft Start
- 10mm keyless chuck
- Spindle lock
- 25+1/3 torque setting

### 特征

- 电子软启动
- 10mm 无键夹头
- 主轴锁
- 25+1/3 扭矩设定

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Chuck size	10mm	卡盘尺寸	10mm
Nominal torque	45Nm	额定扭矩	45Nm
No load speed	0-550/1650 rpm	空载速度	0-550/1650 rpm
size	27x24x7.5	尺寸	27x24x7.5
weight	0.85kg	机器重量	0.85kg
Battery 2.0Ah*2, charger		电池2.0Ah*2/	个,充电器
Battery 2.0Ah*1, charger		电池2.0Ah*1/	个,充电器
Battery 1.5Ah*2, charger		电池1.5Ah*2个	〉, 充电器
Battery 1.5Ah*1, charger		电池1.5Ah*1个, 充电器	
Tool only		裸机(电池、	充电器另售)

(battery and charger sold separately)

Rechargeable screwdriver 充电式起子电钻

### **MODEL XJT-22**











#### **Features**

- LED work lights with pre-glow and afterglow functions
- Powerful brushless motor
- Electronic soft start

### 特征

- LED工作灯具有预发光和余晖功能
- 无刷电机动力强劲

电池1.5Ah\*1个, 充电器

裸机(电池、充电器另售)

- 电子软启动

	Battery	12V MAX LI-ION	电池	12V MAX LI-ION
	Output Power	115W	输出功率	115W
	Capability (steel)	10mm(3/8")	能力(钢材)	10mm(3/8")
	(wood)	21mm(13/16")	(木材)	21mm(13/16")
	Number of revolu	utions (rpm)	回转数(rpm)	
	high speed	0-1,300	高速	0-1,300
	low speed	0-350	低速	0-350
Battery 2.0Ah*2, charger Battery 2.0Ah*1, charger Battery 1.5Ah*2, charger		电池2.0Ah*2个 电池2.0Ah*1个 电池1.5Ah*2个	,充电器	

Rechargeable machine 充电式切割机

### **MODEL XJT-23**











**Features** 

Tool only

- Electronic Soft Start - Electric brake - Safety trigger

Battery 1.5Ah\*1, charger

(battery and charger sold separately)

特征

- 电子软启动 - 电动刹车 - 安全触发器
- Battery 18V MAX LI-ION 18V MAX LI-ION 电池 No-load Speed 3,900 Rpm 3,900 Rpm 空载速度 Blade Dia. 5" 5" 刀片直径 0-45° **Bevel Capacit** 0-45° 斜面电容 Capacity 57.5mm 57.5mm 容量 Dimension 33x160x23 33x160x23 体积 Machine weigh 2.7kg 机器称重 2.7kg

Battery 4.0Ah\*2, charger Battery 4.0Ah\*1, charger Tool only

(battery and charger sold separately)

电池4.0Ah\*2个,充电器 电池4.0Ah\*1个,充电器 裸机(电池、充电器另售) Rechargeable impact driver drill 充电式冲击起子电钻 **MODEL XJT-24** 















#### **Features**

- Electronic Soft Start13mm keyless chuck
- Torrier Reyless C
- Spindle lock
- 20+3 torque setting

### 特征

- 电子软启动
- 13mm无键夹头
- 主轴锁
- 20+3扭矩设定

Battery	18V MAX LI-ION	电池	18V MAX LI-ION
Chuck Size	13mm	卡盘尺寸	13mm
Rated Torque	60Nm	额定扭矩	60Nm
No load speed	0-500/1600 rpm	空载速度	0-500/1600 rpm
Impact Rate	0-12800 lpm	影响率	0-12800 lpm
Dimension	20x21x7.7	方面	20x21x7.7
Machine weight	1.15kg	机器重量	1.15kg
Battery 4.0Ah*2, charger		电池4.0Ah*2	2个,充电器
Battery 4.0Ah*1, charger		电池4.0Ah*1	个,充电器
Battery 2.0Ah*2, charger		电池2.0Ah*2	2个,充电器
Battery 2.0Ah*1, charger		电池2.0Ah*1个,充电器	
Tool only		裸机(电池、充电器另售)	

Rechargeable hair dryer 充电式吹风机

**MODEL XJT-25** 









### Features

- Powerful brushless motor

(battery and charger sold separately)

- Blow and suck

### 特征

- 无刷电机动力强劲
- 吹吸两用

Battery 1	8V MAX LI-ION	电池	18V MAX LI-ION
Output Power	350W	输出功率	350W
Maximum air volun	ne 2.6m3/min	最大风量	2.6m3/min
maximum wind spe	eed 75 m/s	最大风速	75 m/s
Number of		回转数(rpm)	0-15,800
revolutions (rpm)	0-15,800		

Battery 4.0Ah\*2, charger 电池4.0Ah\*2个,充电器
Battery 4.0Ah\*1, charger 电池4.0Ah\*1个,充电器
Battery 2.0Ah\*2, charger 电池2.0Ah\*2个, 充电器
Battery 2.0Ah\*1, charger 电池2.0Ah\*1个, 充电器
Tool only 裸机(电池、充电器另售)

(battery and charger sold separately)



- High compatibility 高兼容
- High capacity 大容量
- Durability 耐久性
- Safety performance 安全性





2.0-3.0Ah 4.0-6.0Ah





### 东莞市芯技通电子科技有限公司 Dongguan Xin Ji Tong Electronic Technology Co., Ltd.



承接各类ODM, OEM无绳电动工具定制/加工订单!5-7天出样品,大货20-25天交货! 在美国,欧洲,加拿大日本有海外仓,2-3天可出货。

Undertake all kinds of ODM, OEM cordless power tool customization/processing orders! 5-7 days for samples, 20-25 days for bulk delivery! There are overseas warehouses in the United States, Europe, Canada and Japan, and it can be shipped in 2-3 days.

### **OEM ODM orders is welcome**

Sample day: 7-10 days. Production day: 20-25 days.

Overseas Wareseas, 2-3 days delivery

Contact: Coco Yu

Phone: +86 13823794700 Tel: +86 769-89399923

Address: R27 Xiangrong Songmushan Dalang Dongguan, Guangdong, China